## Digital clock

## Digital clock

**Style 7 Date** 

### Description:

- ▶ Multilingual Led calendar clock for indoor installation.
- ► Hour minute date day week display.
- ► Fixed or alternate data on central display: day of the week, week number, day number (Julian) and possibility to alternate 2 languages out of 14.
- ▶ Height of digit 7 cm, optimal viewing distance : 25 metres.
- ▶ Diode colours: red, green, yellow, blue.
- ▶ Models : independent radio synchronisable FI or DCF / 24V minute impulse receiver, IRIG-B/AFNOR coded time receiver, NTP Supervised or wireless DHF or IRIG-B/AFNOR coded time output.



#### Technical features:

- ▶ Injected ABS case black (IP30, IK07) with diffusing filter.
- Adjustable brightness (4 levels).
- ► Adjustable antenna on radio synchronised model.
- ► Angle of vision 120°.
- 12 or 24 hour display mode.
- Automatic summer/winter time changeover and perpetual calendar.
- ▶ Data saving for 7 days.
- Accuracy of the time quartz base: 0.2 second/day.
- Silent operation.
- Programming and time setting through 2 buttons.
- Digit made of 7 segments with 4 Led each.
- Letter consists of matrices of 35 Led.
- NTP Synchonization: unicast, multicast and by DHCP.
- ► Power supply:
  - Models AFNOR coded time receiver, wireless DHF, independent / 24V minute impulse receiver: 230V +10%, 50/60Hz.
  - Model NTP Supervised: PoE (Power Over Ethernet).
- ► Consumption: 150 mA.
- ▶ PoE consumption: 12 W maximum; Class 0 device.
- ► Electric protection : class 2.
- ▶ Operating temperature: from -5 to 50°C.
- Weight: 2.1 Kg.
- ▶ IRIG-B/AFNOR coded time output model: radio synchronisable FI or DCF, can synchronise up to 50 slave clocks AFNOR.

#### Norms:

- ▶ Norm NF EN50081-1: generic emission standard.
- Norm NF EN50082-1: generic immunity standard.
- ▶ Norm NF EN60950: safety of information technology equipment.

Mounting Accessories:	
► Double sided bracket	936 300
► Single sided bracket	936 301
► Table holder	936 303
▶ Wall plate support for Style 7 recessed mounting	936 308
► France Inter antenna	907 025
► DCF antenna	907 026

# Led colours **Dimensions** in mm 26 MARS 340 Wall bracket

#### Style 7 Date references:

otyre i bate references.	
► Independent / 24V minute impulse receiver	936 811
► IRIG-B/AFNOR coded time receiver	936 821
► Independent radio synchronised FI 162	936 851
▶ Independent radio synchronised DCF	936 861
► Wireless DHF coded time receiver	936 871
► IRIG-B/AFNOR coded time output	936 881
▶ NTP Supervised	936 8F1

Indicate Led colour by choosing the last number of the reference: red (1), green (2), yellow (3), blue (4).





